

Review

by QA

Total pages: **3** 

Approved

## Document number: 75.190.002

Rev.

index

Issue date

Fluenta source doc. (for

Replacement for:

translations):

n/a

n/a

Document title: Fluenta FlarePhase Transducer

EU Declaration of Conformity

Scope: Different standards, see document											
Additional Information (when applicable):											
Aut											
		-									
C	12-May-2023	Updated Inmetro directive reference	KO	PJ	NB	GD	GD				
В	26-Peb-2022	Updated with Flarernase variants	NB	ST	-	KO	MB				

Author

Review

Review

Reason for issue



		FLUE	NTA					
EU Declaration of Conformity								
		Manufacturer: Address:	Fluenta AS Haraldsgate 90 N-5501 Haugesund Norway					
		Operations Office:	ul. Leborska 3B 80-386 Gdansk Poland					
		Phone:	+47 21 02 19 27					
Manufactu	rer hereby de	eclares that:						
Product:	Ultrasonic <sup>-</sup>	Fransducer						
Туре:	FlarePhase FlarePhase II 1G Ex ia I	<b>250 250 Bias-90</b> IC T* Ga	Tp: -200°C to +260°C Ta: -40°C to +60°C					
Туре:	FlarePhase FlarePhase II 1G Ex ia I	<b>Cryo Cryo Bias-90</b> IC T* Ga	Tp: -200°C to +260°C Ta: -40°C to +60°C					
Туре:	FlarePhase FlarePhase II 1G Ex ia I	<b>350 350 Bias-90</b> IC T* Ga	Tp: -40°C to +450°C Ta: -40°C to +60°C					
- is prod A) / Equ B) I Exp ma C) I D) D)	uced in confo ATEX Direct uipment and SO/IEC 800 olosive atmos nufacture IECEx Schen INMETRO Po EN ISO 900	prmity with the following ve 2014/34/EU (ExVerit protective systems inten 79-34 spheres - Part 34: Applica ne (IECEx EXV 20.0044X prtaria 115 (CPEx 21.003 1:2015	y directives and standards: as 20ATEX0699 X) ided for use in potentially explosive areas ation of quality systems for equipment ) 30 X)					



- has been tested with Fluenta FGM160, Fluenta FlareAmp and Fluenta FlareAmp Controller and is compliant<sup>[1]</sup> with the following:

A) Directive 89/336/EEC, EN 61000-6-2:2019
Part 6-2: Generic standards - Immunity for industrial environments
B) Directive 89/336/EEC, EN 61000-6-4:2019
Part 6-4: Generic standards – Emission standard for industrial environments

- the following test standards were applied for the EMC emission and immunity tests:

Standard	Description
EN61326-1:2013	Group 1, Class A equipment (immunity <sup>[1]</sup> and emissions)
EN55011:2009 (+A1)	Group 1, Class A equipment
EN 61000-3-2:2014	Limits for harmonic current emissions
EN 61000-3-3:2013	Limits for voltage changes, fluctuations and flicker
EN 61000-6-4:2007	Emission standard for industrial environments
EN 61000-6-2:2005	Immunity for industrial environments <sup>[1]</sup>

<sup>[1]</sup>The system only achieved a pass criterion "B" for test method EN61000-4-3 (10V/m). Power supply to the system was briefly interrupted in the 303-310MHz band, but automatically re-started when the interfering field was removed. This behavior is considered to be acceptable because the integrity of the accumulated flow measurements is maintained.

- compliance with the essential health and safety requirements has been assured by compliance with:

CENELEC EN 60079-0:2018 (IEC 60079-0:2017 Edition: 7.0) CENELEC EN 60079-11:2012 (IEC 60079-11:2011 Edition: 6.0)

Respective test reports and issued certificates are available upon request at Fluenta AS.

Position: Quality Manager Name: Graham Davies Company: Fluenta AS

Date: 12 May 2023

Signed:

4